Indiana State Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION A. BUILDING:		(X3) DATE SURVEY COMPLETED	
005053			B. WING		02/20/2013		
			STREET ADD	r ADDRESS, CITY, STATE, ZIP CODE			
MEMORIAL HOSPITAL OF SOUTH BEND			615 N MICHIGAN ST SOUTH BEND, IN 46601				
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)			ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTIO (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPI DEFICIENCY)	BE COMPLETE	
S 000	000 INITIAL COMMENTS			S 000			
	This visit was for investate hospital complasion Complaint Number:						
	IN00119836 Unsubstantiated: lack of sufficient evidence						
	Date: 02/20/13						
	Facility Number: 005053						
	Surveyor: ReBecca I Medical Surveyor	_air, LCSW					
	Memorial Hospital of South Bend is in compliance with 410 IAC 15-1.5-2, Infection control and 410 IAC 15-1.5-8, Physical plant, maintenance, and environmental services, Hospital Licensure Rules.						
	QA: claughlin 04/16/	13					

Indiana State Department of Health

TITLE (X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE